



# Similipal Biosphere Reserve

Biannual Bulletin

Biosphere Reserve Information Service (BRIS) • Volume 2 (No. 1 & 2) 2007



**REGIONAL PLANT RESOURCE CENTRE**

Nayapalli, Bhubaneswar 751 015, Orissa

[Lead/Coordinating Institution for Similipal Biosphere Reserve]











## References

- Grytnes, J.A., Heegaard, E & Ihlen, P.G. 2006. Species richness of vascular plants, bryophytes and lichens along an altitudinal gradient in western Norway. *Acta. Oecol.* 29: 241–246.
- Ingerpuu, N., Vellak, K., Kukk, T & Partel, M. 2001. Bryophyte and vascular plant species richness in boreo-nemoral moist forests and mires. *Biodiversity Conservation.* 10: 2153–2166.
- Karr, J. & Dudley, D.R. 1981. Ecological perspective on water quality goals. *Environ. Manage.* 5: 55–68.
- Rieley, J., Richards, P & Bebbington, A., 1979. The ecological role of bryophytes in a North Wales woodland. *Jour. Ecol.* 67, 497–527.
- Steel, J.B., Wilson, J.B., Anderson, B.J., Lodge, R.H.E & Tangney, R.S., 2004. Are bryophyte communities different from higher-plant communities? Abundance relations. *Oikos* 104: 479–486.
- Nath, V & Asthana, A. K .2005, *Studies on Indian Bryophytes, 50 years of National Botanical Research Institute*, pp. 277-288.